

TESTIMONIALES:**INGRAM WELL & PUMP SERVICE****Shop:**

3674 Hilborn Rd.
Quesnel, BC V2J 3P7
Canada

Mailing address:


PO Box 4520
Quesnel, BC V2J 3J8
Canada

April 8, 2014

Ingram Well & Pump Service has used Cotey Chemical Corp. for approximately 8 years. We service large municipal wells to deep dewatering (1000 – 2500 ft.) mine wells. Ingram Well & Pump Service has restored wells that were abandoned by the mine that are now in production today. My crew loves not having to mix the chemicals prior to pumping. We started out using Johnson's chemical, but the cost and mixing procedure were not worth the end results. The staff at Cotey Chemical is on call 24/7 for any inquiries. That in itself is a valuable service.

Sincerely,

Lloyd Ingram
Pres.



Telephone: 778-414-9111

Fax: 778-414-9112

Email: ingramwell@shaw.ca

**CCC**
COTey
CHEMICAL
CORP.

TESTIMONIALES:


I've been using Cotey Chemical's Liquid Descaler now for over 10 years. I've been using this product in combination with several mechanical well rehabilitation technologies such as AirBurst. Over the course of 10 years we have used Cotey products to treat limestone, Sandstone and Gravel packed wells throughout Illinois and Indiana. These wells range in depths from 50 feet to 1600 feet and several over 30 inches in diameter. Previously we had used competing products including Johnson's Nu Well product, which were much more expensive and from our experience were less effective compared to the Cotey chemistry. Cotey's Liquid Descaler is easy to use as well as easy to handle and/or mix and apply. On one occasion we actually switched from the Nu Well chemistry over to the Cotey product and ultimately threw away the remaining Nu Well product.

I have confidence in Cotey's chemistry which is why after 10 years we continue to use their products on an almost daily basis. When you find something that works you tend to stick with it. Below is a picture of one of just many success stories.

Sincerely,
 Todd E. Kerry
 Senior Project Manager
 Water Well Solutions
 710 B Herra St.
 Elburn, IL 60119
 Office Phone: 630.365.9099
 Office Fax.....: 630.365.9069
 Mobile.....: 630.201.0749
 E-mail:.....: todd@wwsg.com
 WEB.....: http://www.wwsg.com



TESTIMONIALES:

I have been in the water well drilling business for over 35 years. I have performed many well rehabilitation and have used many products.

I have been using the Cotey Chemical Liquid Acid Descaler for at least 7 years and have been extremely satisfied with the results. I am impressed with the ease of calculating the amount of chemical needed for the well diameter and depth, it is safe and easy to handle, and the consistent results.

I have used many other product such as New Well 310 and 110, and I believe that the Liquid Acid Descaler is a superior product.

I will continue to use all of your products in the future.

Thank you,

Mark Howard

Business Development Manager, Western Region

LAYNE | water + mineral + energy

1717 West Park Avenue | Redlands, CA | 92373

Office: 909-390-2833 | Cell: 909-322-2343 | Fax: 909-390-5540

Mark.Howard@layne.com | layne.com

I have used Johnson's Nu Well® on water well rehabilitation projects in the past. I have not been able to perform "side-by-side" comparison studies of the two products due to differences in wells and project objectives. However, I have been specifying Cotey's Liquid Descaler to my customers primarily because the Cotey product is more cost effective than the Johnson Nu Well® product.

Joe J. Vickers, PG
Well Spec
Dripping Springs, Texas

TESTIMONIALES:

"Cotey Chemicals work better in our area than any other brands we've tried. As far as we're concerned they are the best on the market."

Don Duerst
Duerst Machine Works
Burlington, Colorado

"We've been using Cotey Chemical products since 1960 and have been very pleased."

Bill Swaringen
Brownfield Irrigation
Brownfield, Texas

"We've recently constructed an 8" municipal well that produced 80 GPM - 500' depth. During the grouting, approximately 70 bags of cement ended up in the well and blocked all water from entering the well. We used Dry Acid Special three weeks after grouting and restored yield to 80 GPM. Valley Drilling Corporation of Virginia will be using Cotey Chemical products for all well cleaning."

Dennis W. Singhas
Valley Drilling Corporation
Upperville, Virginia

"I am confident in the integrity of Cotey Chemical Corp. and trust their products."

John Bonsangue, R.G.
Hydrogeologist
Orange County Water District
Fountain Valley, California